Welcome to STN International! Enter x:x

LOGINIL:sssptal656sxc

PASSWOLD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * * *
                     Welcome to STN International
                 Web Page UPLs for STN Seminar Schedule - N. America
NEWS
                 "Ask CAS" for self-help around the clock
NEWS L Apr 08
NEWS 3 Apr 60 FEILSMEIN: Reload and Implementation of a New Subject Area
NEWS 4 Apr 03
                 CDF will be removed from STN
NEWS : Apr 1+
                 US Patent Applications available in IFICDE, IFIPAT, and
IFIUDB
NEWS Apr II
                 Records from IE.com available in CAPLUS, ECAPLUS, and
ZCAPLUS
NEWS 7 Apr II BIOSIS Gene Mames now available in TOKCENTER
NEWS & Apr 11
                 Federal Research in Progress (FEIRIP) now available
      e Jun 63
HEWS
                 New e-mail delivery for search results now available
         Jun 10
                 MEDILINE Pelcad
NEWS 1
                 FCTFULL has been releaded
NEWS 11
         Jun 10
         \operatorname{Jul} \operatorname{G}
NEWS 12
                 FOREGE no linger contains STANNAFDS file segment
                 USAN to be releaded July 28, 2002;
NEWS 13
         Jul II
                  saved answer sets no longer valid
NEWS 14
NEWS 15
         Jul 14
Jul 30
                 Enhanded polymer searching in AEGISTRY
                 HEMFIRST to be removed from SUN
         Aug in
                  CANCERLIT reload
NEWS
      1.6
HEWS
         Aug 16
                  FHAFMAMarketletter(FHAFMAML) - new on STN
HEMS
         Aug 118
                 NTIS has been roleaded and enhanced
HEWS 13
         Aug 19
                 Aquatic Toxicity Information Retrieval (AQUIRE)
                  now available on STM
         Aug 19
Aug 19
Aug 16
                  IFIPAT, IFICOB, and IFIOOB have been reloaded
 NEWS II
NEWS II
                 The MEDDINE file segment of T-WCENTER has been reloaded
NEWS 11
                 We puence searching in REGISTRY enhanced
 NEWS 13
                 WAPID has been releaded and enhanced
         Sap US
HEWS 14
         Sep 16
                 Experimental properties added to the REGISTRY file
                 Innowing added to some pre-1907 records in CA/CAPLUS
NEWS 15
         Sep 16
NEWS 35
                 CA Seption Thesaurus available in CAPLUS and CA
         Sep 16
HEWS . .
         Oct 01 CASREAGT Enriched with Reactions from 1907 to 1985
NEWS LB Oct L1
                 EVENTLINE has been releaded
NEWS 29 Oct 14 BELLISTEIN adds new search fields
NEWS 30 Dot 14 Mutraceuticals International (MUTRACEUT) new available on
STN
NEWS 11
         -Oat .5 MEDLINE SDI run of Gotober 3, 2002
NEWS 31
        Mov 18
                 DWHIIT has been renamed APOLLIT
                 More dalculated properties added to REGISTRY
NEWS 33 Nov ...
NEWS 34 Lead 00
                  TIBRAT will be removed from STU
NEWS 35 Dec 04
                 CSA files on STW
         Leo 1'
HEWS SE
                  PITFULL new covers WP/PIT Applications from 1978 to date
         Dec 1'
                 TOWNERITES enhances with additional content
HEWS 37
NEWS is Led 17 Adds Clinical Trials Insight now available on STN
NEWS 34 Dec 30 ISMHO no longer available
 NEWS EXPRESS
              Tannary of CURRENT WINDOWS VERSION IS V6.01a,
```

CURRENT MACINTOSH VERSION IS V6.15 (ENG) AND V6.00b(UP),

AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002

MEWS HOURS STM Operating Hours Plus Help Desk Availability

NEWS PHONE Direct [Hal and Telecommunication Network Access to STN

MEWS WWW CAL World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or amplementation of commorpial mateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 16:14:15 ON 19 CAN 1013

=- s chicary (Ja) seeding or growing THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE. Some commands only work in certain files. For example, the EMPAND command can only be used to lock at the index in a file which has an index. Enter "HELE COMMANDS" at an arrow prompt $(=\cdot)$ for a list of commands which can be used in this file.

= FIL BIOSIS MEDGINE EMBASE LIPESTI CAPLUS

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

0.42

0.42

FULL ESTIMATED COST

FILE 'BIOSIS' ENTERED AT 16:15:35 ON 09 JAN 1003 COPYRIGHT (C) 1703 BIOLOGICAL ABSTRACTS INC. (E)

FILE 'MEDNINE' ENTEFED AT 16:18:35 ON 09 JAN 2003

FILE 'EMBASE' BUTEFED AT 16:15:35 CM 00 JAN 1003 COPYRIGHT (C) 1000 Elsevier Science B.V. All rights reserved.

FILE 'LIFESCI' ENTERED AT 16:18:38 ON 03 JAN 0003 COPYFIGHT (C) 0003 Cambridge Scientific Abstracts (CSA)

FILE 'CAPLUS' ENTERED AT 16:15:35 ON 09 JAN 1603 USE IS SUBJECT TO THE TEPMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERIS" FOR DETAILS. COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

= FIL BIOSIS MEDLINE AGRICOLA EMBAJE LIFESCI CAFLUS

COST IN U.S. BOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL EXTIMATED COST 3.74 4.16

FILE 'BICSIO' ENTREME AT 16:15:44 ON 09 JAN 2003 COPYRIGHT (C) 2005 PICLOGICAL ABSTRACTS INC.(E)

FILE 'MEPLINE' ENTERED AT 16:15:44 ON 09 JAN 2003

FILE 'AGRICOLA' ENTERED AT 16:15:44 ON 09 JAN 2003

FILE 'EMBASE' ENTERED AT 16:15:44 ON 09 JAN 3003 COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved. FILE 'LIFESCI' ENTERED AT 16:15:44 ON 79 JAN 2003 COPYRIGHT (C) 2003 Cambridge Scientific Abstracts (CSA) FILE 'CAPLUS' ENTERED AT 10:15:44 ON 09 JAN 2003 USE IS SUBJECT TO THE TERMS OF YOUR STM CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETEEMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS) s s chicory (3a) seeding or growing 454111 CHICORY (2A) SEEDING OR GROWING Ĺĺ = - s ll and non (w) conventional 3° L1 AND NON (W) CONVENTIONAL => dup rem 12 PROCESSING COMPLETED FOR LC 11 OUP REM L.: (14 DUFLICATES REMOVED) L_{-} $= 0.03 \cdot 1 - 0.1$ 13 AMSWER 1 OF 11 CAPLUS COPYRIGHT 2003 ACS 2002::72116 CAPLUS A.!) 137:144715 211 TT Non-conventional directions in the use of distillery residue. -Chuprymski, Boguslaw; Klesowski, Grzedorz; Kotarska, Katarzyna; Wolska, ΑU Maldinaata Samodalelna Pracownia Gorzwinicza, Inst. Biotechnol. Przemyslu CSRolmo-Spokywozogo, Bydgoszaz, Pol. SO Trzemysl Fermentacyjny i Gwodowc-Warzywny (2002), 46(1), 20-21 CODEN: PROWOT; ISSN: 0137-1845 FΒ Wydawnictwo SIGMA-NOT ΞT Journal Folish 7.4 <u>.</u> : AMSWER 2 OF 11 CAPLUS COPYRIGHT 2003 ACS A_{ij} 2601:723656 CAPLUS 136:58315 Ί. Ι Desalination and water resource manadement in Kuwait Α... Hamoda, Monamed F. 03 Department of Civil Engineering, Kiwait University, Safat, 13060, Kuwait Desalination (.001), 138(1-3), 385-393 \hat{S} CODEN: DSLMAH; ISSN: J011-J164 ΞB Elsevier Science B.V. $\Box \Upsilon$ Jourral. $L\Lambda$ English THERE ARE 7 GITED REFERENCES AVAILABLE FOR THIS RECORD RE.CNT 7 ALL CITATIONS AVAILABLE IN THE SE FORMAT 13 ANSWER 3 OF 21 CAPLUS COPYFIGHT 2003 ACS A:12001:484224 CAPLUN TΙ Hadrens (protons, neutrons, heavy ions) in radiation therapy: rationale, achievements and expectations ΑIJ Wambersie, Andre; Galbauer, Reinhard A. CS Universite Catholique de Louvain Cliniques Universitaires St-Luc,

```
Prussels, B-1200, Relg.
     Fadiochim. Acta (2.01), 89(4-5), 245-253
SO
     CODEN: FAACAP; ISSU: 0033-8220
Pin
     F. Cldenbourd Verlag
\mathbb{D}^{r,r}
     Cournal
     English
L/1
               THERE ARE 21 CITED MEFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 21
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
     AMISWER 4 OF 11 FIGSIS CONFYRIGHT 1003 BIOLOGICAL ARSTRACTS INC.DUPLICATE
     1002:10489 PIOSIS
AH
DOM
     PFEV200200010459
     Fugulation of the AEFG1 gene, a mitechondrial elongation factor G from
Τ.
the
     dimorphib yeast Armula adeninivorans LSS.
A::
     Wartmann, Thomas; Gellissen, Gerd; Kunze, Gotthard (1)
     (1) Institut fuer Pflanzengemetik und Kulturpflanzenforschung,
Corrensstrasse 5, 06466, Gatersleben: kunzeg@ipk-gatersleben.de Germany
Current Geneties, (October, 1001) Vol. 40, No. 3, pp. 172-178. print.
CZ
20
     TSSN: 0172-9083.
\Gamma \cdot \Gamma
     Article
     English
LA
     ANSWER 5 OF 21 CAPLUS COPYRIGHT 2003 ACS
A.::
     . 101:703627 CAPLUS
Т:
     Desalination and water resource management in Kuwait
     Hamoda, Mohamed F.
     Department of Civil Engineering, Kuwait University, Safat, 13060, Kuwait
CS
     Lesslination (2001), 138-1-3-, 165
\varepsilon
     CODEN: DSLMAH; ISSN: 0011-9164
Els
     Elsevier Spience B.V.
E·T
     Journal
     Enalish
LA
T :
     ANSWER & OF 21 CAPLUS COPYRIGHT 1003 ACS
A.11
     :000:842980 CAPINS
     134:75624
\mathbb{D}^{1}
TT
     Microbial degradation of organic wastes at low temperatures
A^{\cap}
     Famana, K. V.; Singh, Lokendra
03
     Lefence Research and Development Establishment, Gwalior, 474 002, India
     Defende Solence Journal (2003), 5014), 371-382
\mathcal{E}(j)
     CODEN: DSJOAA; ISSN: 0011-74:K
EΒ
     Defence Scientific Information & Dobumentation Centre
DT
DA
     Journal: General Review
     English
RE.CNT 37
               THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
· ·
     ANSWER 7 OF 31 CAPLUS COPYRIGHT 1003 AGS
All
     1001:368113 CAPLUS
T
     Towards healthy microplimate of closed spaces and habitats
2.1
     Besler, Gerard Jan; Besler, Madiej
     Faculty of Environmental Engineering, Chair of Air Conditioning and
C_{i}^{*}
      Instrict Heating, Wroclaw University of Technology, Wroclaw, 50-373, Pol.
5:)
     Environ. Prot. End. (2000), 38(3), 23-38
      CODEN: EPENDA; ISSN: 0324-8828
F :4
     Wroclaw University of Technology
[· ]
     Journal
     English
LA
```

```
THEFE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 34
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
     AMSWEP 8 OF 21 FIGURE COPYFIGHT 2003 BIOLOGICAL ABSTRACTS INC.
L?
     2000:201143 BIOSIS
A.
     PREV2000003301143
\mathbb{D}\mathbb{N}
     A note on the protein content in non-conventional
Т :
     anets for pigs.
     Dia:, C. F. (1); Despaine, Faiza (1)
ΑŢ
CS
     (1) Instituto de Ciencia Animal, San Jose de las Lajas, La Habana Cuba
     Cuban Journal of Adricultural Science, (March, 1999) Vol. 33, No. 1, pp.
\varepsilon_{\odot}
     49-92.
     ISSN: 1864-0404.
ЭT
     Article
ĹÄ
     English
31
    English
1.3
    ANSWER 9 OF 21
                         MEDLINE
                                                             DUPLICATE 2
A_{i}^{*}:
     199 +108781
                    MEDLINE
     99108781 FubMed ID: 9891632
011
     Non-conventional respiratory support modalities
     applicable in the older child. High frequency ventilation and liquid
     ventilation.
     Kallas H J
     Department of Pediatrics, University of California, Davis, School of
es:
     Medicine, Sacraments, USA.. hjkallasšuodavis.edu
CRITICAL CARE CLINICS, (1988 Oct) 14 (4) 655-83. Ref: 245
30
     Journal code: 8507770. ISSN: 0749-0704.
     United States
DΤ
     Journal; Article; (JOURNAL ARTICLE)
     General Review; (REVIEW)
     (REVIEW, ACADEMIC)
\mathrm{LA}
     Enalish
     Priority Journals
FS
\Xi M
     129901
     Entered STN: 19990216
F.(1)
     Last Updated on STN: 19990/16
     Entered Medline: 19330129
    AMSWER 10 OF 21 BIGSIS COPYRIGHT MODE BIOLOGICAL ABSTRACTS
INC.DUPLICATE
\mathcal{F}_{\lambda}. ]
     1994:398641 BIOSIS
\mathbb{D}^{*}_{1}
    PREM199800395640
TI
     Central regulation of autonomic function: No brakes.
ΑΠ
     Krukoff, Teresa L. (1)
     (1) Dep. Cell Biol. Anat., Fac. Med., Univ. Alberta, Edmonton, AB T6G 2H7
\mathbb{C}S
     Camada.
SO
     Clinical and Emperimental Pharmacology and Physiology, (June, 1998) Vol.
     05, No. 6, pp. 474-478.
     issn: 0305-1370.
07
     Artible
     English
     ANSWER 11 OF 21 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS
1.3
INC.DUFLICATE
     -1
     1397:348671 BIOSIS
A.1
DH
     PREV199799647873
     Non-conventional role of lysosomal acid phosphatase in
```

olfactory receptor axons: Co-localization with growth-associated phosphoprotein-43. Wolff, J. P.; Liu, W. L. (1); Boettcher, H.; Krizbai, I.; Joo, F.; AΠ Saftia, F.; Parducz, A. (1) Dep. Anatomy, Univ. Maryland Sch. Med., Baltimore, MD 21201-1559 USA C3 30 Mouroscience, (1997) Vol. 79, No. 3, pp. 887-891. ISSN: 0306-4512. - 173 Article Ĭ'n. English AMSWEE 12 OF 01 BIOSIS COPYFIGHT 1003 BIOLOGICAL ABSTRACTS INC. 15 1998:64134 BIOSIS AΠ 191 FREN199810064134 Effect of lasalogid and a Saccharomydes derevisiae culture on growing "Griollo" lambs fed non-conventional indredients. ДIJ Hornandez-Sanchez, D.; Gonzalez, S. S.; Ortegaderrilla, M. E.; Cobos, M. Cologio Pistgraduados, Montecillo, Edo Mexico Mexico C3 Journal of Amimal Science, (1997) Vol. 75, No. SUPPL. 1, pp. 271. $\mathcal{Z}(0)$ Meeting Info.: 39th Annual Meeting of the American Society of Animal Science Mashville, Tennessee, USA July 29-August 1, 1997 188N: 0021-8812. DT. Conterence Ermalish 247 23 AMSWER 13 OF 01 CAPLUS COPYRIGHT 1003 ACS 1997:627687 CAPLUS A1: 127:232003 E1: TT. Grower and productivity of non-conventional energy source: 1. curcas $A^{\prime\prime}$ Roy, Shikha Energy Plantation Demonstration Project Centre, Department of Botany, CSUniversity of Rajasthan, Jaipur, 300 004, India Biomass for Energy and the Environment, Proceedings of the European 30 Bioenergy Conference, 9th, Copenhagen, June 24-27, 1996 (1996), Volume 1, 560-563. Baitor(s): Chartier, Philippe. Publisher: Elsevier, Oxford, UK. CODEN: 6:87A6 Conference DT LAEnglish ANSWER 14 OF 31 BIOSIS COPYRIGHT : 003 BIOLOGICAL ABSTRACTS INC.DUPLICATE AH 1995:304560 BIOSIS PREV199598318%60 $\Box\Box$ Fungicide use reduction in apple production-potentials or pipe dreams. ΤI $\Delta \Box$ Penrose, L. J. U.S.W. Agric., Agric. Res. Cent., Forest Road, Orange, N.S.W. 2800 38 Agriculture Ecosystems & Environment, (1995) Vol. 53, No. 3, pp. 30) 231-242. 1381: 0147-8809. Ei^m Article English Lin AMSWER 1° OF 31 EMBASE COPYRIGHT 1003 ELSEVIER SCI. B.V. L ₹5049308 EMBASE $A: \mathbb{I}$ $\Gamma \Box I$ 1395043316

- Perspectives from general practice: Skilled doctors or imported complementary practitioners?.
- Poters I. ΑU
- Centre Commentity Care Frimary Health, University of Westminster, 33 Queen C.5Anne Street, London WIM BFB, United Kingdom
- Cumplementary Therapios in Medicine, (1991) 3/1 (32-36). ISSN: 0.005-2049 CODEN: CTHMES 30
- CY United Kinadom
- 04 Journal; (Short Survey)
- F'.` 017 - Public Health, Social Medicine and Epidemiology
- F4..] English
- SLEnglish
- j. ? ANSWER 18 OF 11 BIOSIS COPYRIGHT 1003 BIOLOGICAL ABSTRACTS INC.
- *E*.:: 1996::4944 BIGSIS
- PREV139695627079 11-1
- Prediction of protein quality from a model for N digestion and metabolism ΤI in pigs with non-conventional rations.
- AH. Landuet, R.; Savon, Loundes
- Inst. Ciencia Anim., Abartado 24, San Jose de las Lajas, La Habana Cuba
- Cuban Journal of Agricultural Science, (1995) Vol. 29, No. 1, pp. 1-9. So 188N: 0-64-0408.
- $\overline{L}\cdot\overline{L}$ Article
- $\tilde{L}_1 \tilde{Z} \Lambda$ English
- ANSWER 17 OF 11 EMBARE COPYFORET 2003 ELSEVIER SCI. B.V. I. 5
- 9104144 EMBASE F_{1} .
- [:::] 1991041448
- J. : Wastewater rouse for Irridation in the Near East Region.
- \mathcal{A} .. Arar A.
- Land and Water Development Division, Ford and Agriculture Organization of CC
- the United Nations, Via delle Terme di Caraballo, 00100 Rome, Italy Water Science and Technology, (1991) 23/10-12 (2127-2134). ISSN: (273-1018 COCEN: WSTED4 30
- United Kingdom
- Journal: Conference Article
- FЗ Environmental Health and Pollution Control 046
- J.A. English
- SLEnglish
- AMSWER 19 OF 21 BIGSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- 1991:02571 BIOSIS $A\Pi$
- BA91:11922 11:1
- ECONOMIC IMPORTANCE OF SUGARCANE PITH AS A NON-TI CONVENTIONAL FEED RESOURCE FOR GROWING RUMINANT.
- ALTAF-UR-REHMAN N A; AHMAD N AU
- $C_{ij}^{(i)}$ DEP. FOULTRY SCI., N.W.F.P. AGRIC. UNIV., PESHAWAR.
- 3.) SARHAD I AGRIC, (1990 ϵ (8), 421-424. CODEN: SIAGED.
- $F'\mathcal{F}$ BA: OLD
- English.
- 5. ANSWER 19 OF 21 BIGSIS COPYRIGHT 2003 BIDLOGICAL ABSTRACTS INC.
- 1991:91548 BIOSIS All
- C:: PA91: FC435
- Τ: DISTRIBUTION OF EXCHANGEABLE AND TOTAL MANGANESE IN RUBBER GROWING REGIOUS OF INDIA.
- AMMA E E; AUGUSTEY A; KEISNARUMAR V; MAIHEW M
- C_{i} : RUBBER RES INST. INFIA, KOTTAYAM 686 009, INDIA.
- $S \cap$ INDIAN J NAT HUBBER RES, (1939) 2 (2), 91-98.

```
CODEN: IJNRES.
FS
     EA; OLD
     English
LA
L?
     AMESWER 20 CF 21 BIGSIS COPYRIGHT 2003 FIOLOGICAL ABSTRACTS INC.
     1977:236158 BIOSIS
A::
\Gamma 1
     PA64:6061.
     WITEITIONAL EVALUATION OF 6 PROTEIN CONCENTRATES FOR THE PIG.
ΤΊ.
Α..
    KONDOS A C
     AUST J EMP AGRIC ANIM HUSB, (1977) 17 (85), 263-267.
S()
     CODEN: AAAAHAN. ISSN: 0045-360%.
E^*\mathcal{E}^*
     BA; OID
     Unavailable
\mathbb{L}A
Ţ.:
     ANSWER 21 OF 21 EMBASE COPYRIGHT 2003 ELSEVIER SCI. B.V.
     78165045 EMBASE
AH
ĐΗ
     1978165045
TI
     Waste segregation as a means of enhancing ensite wastewater management.
AU
     Siedrist F.
03
     Small Scale Waste Manadem. Project, Univ. Wisconsin, Madison, Wis.,
United
     States
     Journal of Environmental Health, (1977) 40/1 (5-9).
30
     DODEN: JEVEAH
     United States
5.51
     Iburnal
83
     017
             Public Health, Social Medicine and Epidemiclogy
             Environmental Health and Pollution Control
     046
    English
> s chicary (Da) grow? (p) non(w) conventional (Da) method or process
   3 FILES SEARCHEÓ...
L4 4130367 CHICOPY (2A) GROWT (P) NON(W) CONVENTIONAL (2A) METHOD OR
PROCES
= · s l4 and inulin
         1688 L4 AND INVLIN
=> s 15 and fructose
[,6
           163 L5 AND FEUGTOSE
⇒> 16 and FET
L6 IS NOT A RECOGNICED COMMAND
The provious command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt == ::.
⇒> s 16 and FEH
L7
             in 16 AND FEH
=> s 15 and fructar (w)emohydrolase
            .. L5 AND FRUCTAN (W) EXOHYDROLASE
= · d 1 · 1 · 2
   AMEWER 1 OF 2 PIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
Lo
    1993:347517 BIOSI3
A.11
    EREV199396044557
Fi:I
```

```
Fructan exohydrolase from grasses.
ΤŢ
     Simpson, Richard J.; Bonnett, Graham D.
ΑU
     Sch. Agric. and Forestry, Univ. Melbourne, Parkville, 3052 Australia
CS
     New Phytologist, (1993) Vol. 183, No. 3, pp. 453-469.
30
     ISSN: 1023-646K.
DT
     Anticle
5E
     English
5,1
     AMSWEE N OF 2 CAPLUS COPYRIGHT 2003 ACS
     1993:512300 CAPLUS
A.I.
[1]
     119:117360
     Fructan exohydrolase from grasses
AU
     Simpson, Eichard J.; Bonnett, Graham D.
     Sch. Agric. For., Univ. Melbourne, Parkville, 3052, Australia
New Phytologist (1993), 123(3), 453-69
CODEN: MERHAV: ISSN: GODE-646M
08
SO
     Jurnal: General Review
Z.Ä.
     English
= - s )  and degree(w) of (w) polymerization
             0 L6 AND DEGREE(W) OF W) POLYMERIZATION
e s le and DE
             5 L6 AND DP
I. 10
= d 110 1-5
110 AMSWEE 1 OF 5 FIGSIS MOPYRIGHT 2013 BIOLOGICAL ABSTRACTS INC.
     2002:404580 B:0318
\Pi \mathcal{L}
     PREV200200404130
Soluble dietary fibres in Jerusalem artichoke powders: Composition and
T.I
     application in bread.
     Prannik, W. (1); Cleslik, E.; Filipiak-Florkiewicz, A.
     (1) Institute of Chemistry, University of Agricultural Sciences,
cs
Muthgasse
     18, A-1190, Wien: wpraznik@edv2.boku.ac.at Austria
     Nahrung, (June, 2002) Vol. 46, No. 5, pp. 151-157. print.
SO
     TSSN: 0027-763M.
[\cdot]
     Article
    English
IJA
INTO ANSWER 1 OF 5
                       MEDIJINE
     1000362442
A::
                  MEDIJINE
     20101612 PubMed ID: 10108013
[0, 1]
T:
     Soluble dietary fibres in Jerusalem artichoke powders: composition and
     application in bread.
Ä.
     Prannik W; Cieslik E; Filiptak-Florkiewicz A
CS.
     Institute of Chemistry, University of Agricultural Sciences, Muthgasse
18,
     A-1190 Wien, Austria.. wpraznik@edv2.boku.ac.at
30
     MARRUNG, (2007 Jun) 46 (3) 151-7.
     Journal code: 0142530. ISSN: 0027-769X.
     Germany: Germany, Federal Republic of
\Gamma^{\prime}\Gamma
     Journal: Artisle: (JOURNAL ARTICLE)
L_{H}
     Eralish
FC
    Priority Journals
EM
     200210
ED
     Entered STN: 20020712
     Last Updated on STN: 20021008
```

Entered Madline: 30001007

L12

```
L10 ANSWER 3 OF 5
                         MEDLINE
                    MEDLINE
     199:3564 16
ΑN
     98356476 EukMed ID: 9691447
[11]
ΤI
     The platinum-cutalyied exidation of inulin.
     Vernaest 1 L; Peters J A; van Bekkum H
ΑU
     Laboratory of Organic Chemistry and Catalysis, Delft University of
03
     Technology, The Netherlands.
     CARBOHYDRATE FESEARCH, (1908 Jan) 306 (1-2) 197-203. 
Journal odde: 304385 . ISSN: 0008-6215.
\mathcal{S}()
     Notherlands
     Journal; Article; (COURMAL ARTICLE)
ŪΤ
LL
     English
\Xi^{\prime}\Xi
     Priority Journals
ЕH
     199510
     Entered STN: 14931005
ED
     Last Updated on STN: 19:51:08
     Entered Medline: 19991001
110 ANSWER 4 OF 5 EMBARE COPYRIGHT 1013 ELSEVIER SCI. B.V.
     1998021657 EMBASE
A::
ΤI
     The platinum-rataly.cd exication of inulin.
     Verraest D.D.; Beters J.A.; Van Bokkum H.
\dot{\tau}
C3
     H. Van Bekkum, Lab. of Organic Chemistry/Catalysis, Delft University of
     Technology, Julianalaan 136, 2628 BL Delft, Netherlands
     Carbohyanate Essoaron, 1998) 306 1-2 (197-203).
E(*)
     Refs: 24
     ISSN: 0008-6215 CODEN: CEBEAT
    S 0008-6010(97:10088-6
     United Kingdom
DT:
     Journal: Article
\mathbb{F}\mathcal{Z}
     Q19 Clinical Biothemistry
LA
     English
31
     Enalish
110 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2003 ACS
     . 60.1:53/902
                  CAPLUS
\mathbb{A}\mathbb{H}
137:368919
T.I
     Soluble distary fibres in Jerusalem artichoke powders: composition and
     application in bread
     Practik, W.; Cleslik, E.; Filipiak-Florkiewicz, A.
CB
     Institute of Chemistry, University of Agricultural Sciences, Vienna,
     A-1130, Austria
     Nahrung (2002), 46 {\ensuremath{\mathbb{R}}} , 151-157
S.Ç.
     CODEN: MAHEAR; ISSN: 0027-769X
Ε'n
     Wiley-VCH Verlag GmbH
DT
     Tourral
LA
     English
F.E. CNT 215
               THERE ARE ... CITED REFERENCES AVAILABLE FOR THIS RECORD
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
=1.5 s 15 and DP
L:1
              8 L5 AND DP
= dup rem 111
PROCESSING COMPLETED FOR L11
```

3 DUP REM L11 (% DUPLICATES REMOVED)

```
= \cdot d 111 1-3
```

```
L12 ANSWEE 1 OF 3 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE
     074d:4045t0 BIOSIS
AH.
     PREV200300404580
Dil
TI
     Soluble dietary fibres in Jerusalem artichoke powders: Composition and
     application in bread.
     Praumik, W. (1); Cieslik, E.; Filipiak-Florkiewicz, A.
     (1) Institute of Chemistry, University of Agricultural Sciences,
Muthgasse
     18, A-1190, Wien: wpraznik@edv2.boku.ac.st Austria
     Mahrung, (June, 2002) Vol. 46, No. 3, pp. 151-157. print. ISEN: 0007-769M.
DT.
     Artible
     English
LA
112 ANSWER DOOF 3 BIOSIS COPYRIGHT 1103 BIOLOGICAL ABSTRACTJ INC.DUPLICATE
     1938:341536 BIOSIS
AH
     PREV190800341526
\mathbb{D}\mathbb{H}
T I
     The platinum-catalyzed oxidation of inulin.
ΑII
     Verruest, Dorine L.; Peters, Joop A.; Van Bekkum, Herman (1)
     (1) Dab. Organic Chem. and Catalysis, Delft Univ. Technol., Julianalaan
\mathbb{C}^{\times}
     136, 2414 BL Delft Netherlands
30
     Carbohydrate Besearch, (Jan., 199-) Vol. 306, No. 1-2, pp. 107-203.
     188N: 0008-6215.
DT
     Article
L_{F_{\lambda}}
    English
    -ANSWER 3 OF 3 CAPLUS COPYRIGHT 1003 ACS
1.12
     1996:214704 CAPLUS
104:259070
Δ,
DH
ΤΙ
     Fractionated Poly-disperse carbohydrate compositions for food, cosmetics,
     and pharmaceuticals
111
     Smits, Georges; Daenekingt, Luc; Booten, Harl
F.A.
     Tiense Suikerraffinaderit, Beld.
SO
     FCT int. Appl., 88 pp.
     CODEN: PIMMD2
\mathbb{D}^{T}
     Patent
T.A
    English
FAN.CHT 1
     PATERT NO.
                     KIND DATE
                                            APPLICATION NO. DATE
     ----- ---- ----
                      A1 19960135
                                                           19950707
FΤ
     WO 3601849
                                            WO 1995-BE67
         W: AM, AU, BB, BG, BP, BY, CA, CN, CZ, EE, FI, GE, HU, IS, JE, KE,
             NO, KE, KE, KZ, LK, LK, LC, LV, MD, MG, MN, MW, MM, NO, NZ, PL,
             RO, RU, SO, SG, SI, SK, TJ, TM, TT, UA, US, UZ, VI
         EW: RE, MW, SD, SZ, UG, AT, EE, CH, DE, DK, ES, FR, GB, GE, IE, IT,
             L', MC, NL, FT, SE, BF, EJ, CF, CG, CI, CM, GA, GN, ML, MR, NE,
             SH, TD, TG
                           19960507
     BE 1009499
                       АЗ
                                                              19040707
                                            EE 1994-636
                       A6 19970701
                                             BE 1994-893
     PE 100:705
                                                               19340930
    CA 21133061
                           19960125
                                            CA 1995-2193061 19950707
                       AI_{\Lambda}
     AU 95.30731
                       A.L
                             19960% 09
                                             AU 1995-30731
                                                              19950707
     AU 695350
                       E2
                             19980813
     EF 769026
                                                             19950707
                       Α1
                             199704.3
                                             EP 1995-926341
     EF 769026
                             19990998
                       B1
        F: AT, BE, CH, DE, DF, ES, FE, GB, GF, IE, IT, LI, LU, MC, NL, PT,
```

```
BR 9510202 A 19971104 BR 1995-10202 CF 10502678 T2 19980310 JF 1995-504019
                                                                                            19950707
       BR 9510202
                                                                  JF 1995-504019 19950707
       AT 184190
                                 E 19990915 AT 1990-920044 1...
T3 20000116 ES 1995-926341 19950707
A 14970507 NO 1996-5539 19961212
                                 E
                                          19990915
                                                                 AT 1995-926541 19950707
       ES 2138745
       ### 14870507 NO 1996-5339 19961212 PI 9702044 A 19970103 FI 1997-44 19970103 US 6303776 B1 20011016 US 1997-765874 19970527 US 2002028928 A1 20020307 US 2001-943574 20010830 PE 1894-838
                                          19940707
PRAI PE 1994-638
                                 A
       BE 1994-893
                                 A 19940933
       HD 1994-045 A 1994-045
WO 1995-BE67 W 1993-0707
US 1997-765874 A1 1997-0527
```

=1 s 15 and roots

L13 38 L5 AND ROOTS

=1 dup rem 113

PROCESSING COMPLETED FOR L13

L14 36 DUP REM L13 (A DUPLICATES REMOVED

=> d 114 ti 1-36

L14 AMSWER 1 OF 36 CAPLUS COFFFIGHT 2003 ACS

TI Inulin molecular weight fractions obtained by precipitation at low temperature

L14 ANSWER I OF 36 CAPLUS COFYFIGHT 2003 ACS

TI UV degradation of sesquiterpene lactones in chicory extract: kinetics and identification of reaction products by HPLC-MS

- L14 ANSWER 3 OF 36 EMBASE CORYFIGHT 2003 ELSEVIER SCI. B.V.
- TI Technological functionality of inulin and oligofructose.
- L14 ANSWER 4 OF 36 CAPLUS COPYFIGHT 0003 ACS
- TI Caro-coffee: a classic coffee surrogate
- L14 ANSWER 5 OF 36 CAPLUS COPYFIGHT 2003 ACS
- TI Process for the manufacture of chicory inulin, hydrolysates and derivatives of inulin, and improved chicory inulin products, hydrolysates and derivatives
- L14 AMSWER 6 OF 30 CAPLUS COPYRIGHT 1965 ACS
- TI Cell wall structure and organization of Kluyveromyces marxianus CBS 6556 in relation to the secretion of inclinase encymes
- L14 AMSWER TOOM 36 CAPLUS CORVEIGHT 1003 ACS
- TI Inuted. An alternative binder in spray-dried granulates for the deramic industry
- L14 ANSWER 8 08 36 CAPLUS COPYRIGHT 100% ACS
- TI Extraction of chicory
- L14 ANSWER 9 DF 36 AGRICOLA
- TI Complex melting of semi-prystalline chicory (Cichorium intybus L.) root inuln.
- L14 AMSWEE 10 OF 36 CAPLUS COPYSIGHT 1003 ACS
- TI Isolation of inulin from chicory root

- L14 ANSWER 11 OF 36 AGRICOLA
- TI Fructans in callus of Comphrena macrocephala St.-Hil.
- L14 AMSWER 10 OF 36 MAPLUS COPYRIGHT MODS ACS
- TI Process for obtaining a purified solution of inulin from chicary guide
- L14 AMSWEE 13 OF 36 MAPLUS COPYRIGHT 2003 ACS
- TI Processes for extraction and transformation of sugars from chicory roots
- L14 ANSWER 14 OF 36 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE
- TI Fructan variations in tuberous **roots** of Viguiera discolor Baker (Asteraceae): The influence of phenology.
- L14 ANSWER IN THIS WARLOW CORVETCHT TITE ACS
- TI Pulot-scale production of inulin from chicary roots and its use in food stuffs
- L14 ANSWER 16 OF 36 CAPLUS COPYRIGHT 1013 ACS
- TI A process for the production of inulin and its hydrolysis products from plant material
- L14 ANSWER 19 OF 36 CAPLUS CORYRIGHT 2003 ACS
- TI A method for preparing a mixture of saccharides
- L14 ANSWER 1: 08 30 PAPLUS CORYRIGHT .003 AGS
- TI Additive for stock feeds, stock feed containing additive, and process for preparation of additive
- L14 ANSWES 13 OF 36 CAPLUS COPYRIGHT .003 AGS
- TI Optimization of extraction of sesquiterpene lactones from cake from processing of Inula roots
- L14 ANSWEE 20 OF 36 BIOSIS COPYRIGHT 1003 BIOLOGICAL ABSTRACTS INC.
- TI DYNAMICS OF CARBOHYDRATES IN THE ROOT SYSTEM OF ACROPTILON-REPENS.
- L14 ANSWER 31 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Changes in carbohydrates during the production of coffee substitute extracts, especially in the roasting process
- L14 ANSWER 22 OF 36 CARLUS COPYRIGHT 1003 AGS
- TI Dynamics of carbohydrates in the root system of Adroptilon repens DC
- L14 ANSWER 23 OF 36 CAPLUS COPYRIGHT .003 ACS
- TI Levulose
- L14 ANSWER 14 OF 36 CAPLUS COPYRIGHT 1003 ACS
- TI Nature of water absorption by roots of detopped plants
- L14 ANSWER 15 OF 36 CAPLUS COPYFIGHT 1003 ACS
- TI Theory of the diffusion **process** in sugar factories. III. The ideal countercurrent extraction, the Fobert system
- L14 ANSWER 10 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Physiological and biochemical characteristics of improved forms of kok-saghyz

- L14 ANSWER 27 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Post-harvest accumulation of rubber in the roots of krym-saghyz
- L14 ANSWER 28 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Laticiferous system as one regulating the course and direction of biochemical **processes** in plants
- L14 ANSWER 29 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Laticiferous system as one regulating the course and direction of brochemical processes in plants
- L14 ANSWER 30 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Obtaining rubber from the roots of kok-saghyz
- L14 ANSWER 31 OF 30 CAPLUS COPYRIGHT 2003 ACS
- TI Technology of the extraction of natural rubber
- L14 ANSWER 30 OF 30 CAPLUS COPYRIGHT 1003 ACS
- TI Obtaining rubber from the roots of kok-saghyz
- L14 ANSWER EN OF EG CAPLUS COPYRIGHT L1 3 ACS
- TI Technology of the extraction of natural rubber
- L14 ANSWER 34 OF 30 CAPLUS COPYRIGHT 2003 ACS
- TI The dynamics of nutrition and development of kok-saghyz
- L14 AUSWER 35 OF 36 CAPLUS COPYRIGHT 2003 ACS
- TI Inulin in plants, its origin and transformations
- L14 ANSWER SW OF SW CAPLUS COPYRIGHT 1013 ACS
- TI Inulin in plants, its origin and transformations
- => d 114 5, 8-10, 12, 13 sp Au ABS TI
- 114 ANSWER 5 OF 36 CAPLUS COPYRIGHT 2003 ACS
- SO Eur. Pat. Appl., 72 pp. CODEN: EPKKDW
- IN Smits, Georges; De Leenneer, Leen
- The invention provides an improved process for the manuf. of AB chicory inulin, hydrolyzates and derivs. of inulin by conventional manuag, techniques from roots of chicory grown in the northern hemisphere from Dec. 1 until Mar. 14, May 15 until May 31, and June 1 until Nov. 30 and in the southern hemisphere from June 1 until Sept. 14, Sept. 15 until Sept. 30, Oct. 1 until Nov. 30, and Dec. 1 until May 31. Selection of said proper conditions enables to provide a growing and/or processing period for the chicory roots which may partly or wholly extend beyond the conventional periods. The invention relates also to improved grades of chicory inulin, of hydrolymates of chicary inulin, such as e.g. a polydisperse oligofructose compn. and a fructose compr., as well as to the use of these products in the manuf. of food, feed, arinks, prophylactic and therapeutical compns. , chem. derivs, and non-food compns. Improved std. grade chicory inulin according to the invention presents a degree of polymn. which is at least 20 ≥ higher than the one of conventional std. grade chicory inulin.
- TI Process for the manufacture of chicory inulin, hydrolysates and derivatives of inulin, and improved chicory inulin products, hydrolysates and derivatives

- L14 ANSWER 8 OF 36 CAPLUS COPYRIGHT 2003 ACS
- SO Chech Journal of Food Sciences (1998), 16(2), 72-76 CODEN: CJFSF2
- AT Baxa, Stanislav
- The chacory (Cichcrium intybus) is an important source of inulin, a perspective foca additive. The goal of this study was to find an extr. procedure to obtain pure exts. of inulin or bitter compds. from aried chicory roots. Chicory root extr. conditions, including the type of solvent (water, 40% ag. ethanol, abs. ethanol, isopropanol, n-hexane, Et acotate), solid/liq. ratio (1:10), time (up to 500 min), and temp. (35, 50, 80.degree.C), and the quality of exts., including the contents of inulin, hitter tompds. (lactucopicrin, lactuorn), color and assay methods, were evaluated. The best results

were

- obtained with water or 40% ethanol extn. at a0.degree.C for 60 min.
- TI Extraction of chicery
- L14 ANSWER 9 OF 36 AGRICOLA
- SO Carbohydrate research, Aug 1998. Vol. 31), No. 1/2. p. 65-78 Publisher: Oxford: Elsevier Science Ltd. CODEN: CRBRAT; ISSN: 0008-6015
- AU Habetto, C.L.M.; Delocur, J.A.; Koch, M.H.J.; Booten, K.; Kleppinger, R.; Mischenko, N.; Reynaers, H.
- AB When concentrated solutions (31-45) by weight) of inulin (degree of polymerization 3-6), number average degree of polymerization 12) are cooled at 1 degree C/min or 0.25 degrees C/min from 96 degrees C to 20 degrees C, suspensions of semi-physialline material in water are formed.

А

thermal nucleation **process** was detected by optical microscopy: the 3-like shaped crystallites resulting from primary nucleation at higher

temperature are larger than those resulting from secondary nucleation at lower temperature. Differential scanning calorimetry (DSC) thermograms display melting profiles with three to four partly overlapping endotherms that vary as a function of concentration, cooling rate during crystallization and storage time at 25 degrees C of the crystallite suspension. Recrystallization during melting was observed. The wide-angle K-ray scattering patterns of the samples at 25 degrees C correspond to those of the hydrated crystal polymorph. The structural changes during melting indicated the existence of a single crystal polymorph throughout melting. A periodicity of 95 angstrom, arising from alternating regions

o f

- infferent electron density, is detected in the small angle X-ray scattering patterns at 15 degrees C. The stepwise increase of the long period upon heating is related to the existence of two types of lamellar stacks: one with a higher long period, resulting from the primary nucleation and thus crystallized at high temperature, and a second one with a smaller long period, formed by crystallization at lower temperature. The lamellae formed at low temperature melt at a lower temperature than those formed at high temperature, explaining the existence of the two DSC-endotherms.
- TI Complex melting of semi-drystalline thicory (Cichorium intybus L.) root inuln.
- L14 ANSWER 10 OF 36 CAPLUS COPYRIGHT 2003 ACS
- SO Potraviranske Vedy (1997), 15(1), 49-67 CODEN: POVEEC; ISSN: 1802-8613
- AU Bubnik, Edenek; Korcakova, Ivana; Kaulec, Pavel; Starhova, Helena; Pour, Vladimir; Uherek, Miluslav
- AB This paper deals with methods used for the extn., isolation, refining and

manufg. of inulin from chicary. The introductory study completes by way of performed expts, the fundamental pays, and chem. proporties of teen, and pure soins, of inulin and chicary exts. The study also discusses the necessary kinetic data concerning crysth, exth, and filtration process. There are applied recent procedures - for example: cross-flow membrane filtration, film evaph, spray drying and cooling crysth, by means of computer. For the deth, of inulin, other saccharides and further compas, occurring in exts, of chicary roots anal, methods were developed which apply HPLC and ITP disptachophoresis). In conclusion of work the variant design of scheme demonstrating technol, process of the isolation of inulin and fructualigosappharides is mentioned.

- TI Isolation of inulin from chicory root
- L14 ANSWER 12 OF BU CAPLUS CORYRIGHT 2005 ACS
- SO Eur. Pat. Appl., pp. CODEN: EPMNOW
- III Alard, Georges Maurice
- AB In the title process, with decreased losses, the onionry juice is limed and parbonated simultaneously at pH .ltdreq.ll. Chicory root onlys contq. HiD 73.34, inulin 16.46, sugars 1.33, impurities 3.90, and mard 4.93% were leached with H2O (132-137 L/100 kg) in a sugar diffuser at 65-70.degree., the puice (pH 5.6, brix 14.56) was sepd. from pulp (47 kg/100 kg phips, bontg. 1.8% inulin), basified with CaO (2.6-3.0 g/L) to pH 10.8-11.2, heated to 85.degree., treated with aq. Ca(OH)2 (11 g (440 L) and sufficient CO2 to maintain a pH of 11.0, sepd. from sediments, neated to 93.degree., and recarbonated (pH 6.6-3.8) to give a soln. with brix vol. 13.2-13.5 g/100 mL, bolor (8 brix) 10,000-11,000, Ca salts (8 brix) 600 mg, and sugar losses to residues 0.30-0.38 kg/100 kg chips.
- Ti Process for obtaining a purified solution of inulin from chipary juice
- L14 ANSWER 13 OF 36 CAPLUS COPYRIGHT 2003 ACS
- SO Comptes Rendus de l'Abademie d'Agriculture de France (1994), 80(7), 31-46 CODEN: CRAFEQ: ISSN: 0989-6988
- All de Baynast, Regis; Renard, Catherine
- Ab A review, with no refs. Chicory (Cicorium intybus) roots contain 17% of inulin. It is an industrial source of fructose. There are two processes leading to exts. With high fructose content. The diffusion process, similar to that used in the sugar best industry, gives partially hydrolyzed inulin. The enzymic process liqueries cell walls. It allows hydrolysis of inulin and other polymers, giving a mixt. of fructose (85%) and glucose (15%). The ext. is centrifuged and ultrafiltered, giving a stable
- syrup.
- TI Processes for extraction and transformation of sugars from chickry roots

=1 d 114 !

- L14 ANSWER 5 OF 36 CAPLUS COPYRIGHT 2003 ACS
- AN 1999:460278 CAPLUS
- DN 131:103700
- Ti Process for the manufacture of chicory inulin, hydrolysates and derivatives of inulin, and improved chicory inulin products, hydrolysates and derivatives
- IN Smits, Georges; De Leenheer, Leen

Tiense Suikerraffinaderij N.V. (Raffinerie Tirlemontoise S.A.), Belg.

Eur. Pat. Appl., 22 pp. SCI

CODEN: EPXXEW

DTPatent

LA	Engl:sh	
F7.N	.CNT 1	

	PAT	CENT NO.		KIND	DATE		APPLICATION NO.	DATE	
F-1	EF	930317		A1	19990721		EP 1998-870012	19980121	
						FR,	GB, GR, IT, LI, LU	, NL, SE,	MC, PT,
		IΕ	, SI,	LT, LV	7, FI, RO				
	$W(\cdot)$	9937686		A1	19990729		WO 1999-EP155	19990113	
		W: AU	, CN,	IN, TE	t, US				
		FW: FT	, BE,	CH, CY	(, DE, DK,	ES,	FI, FR, GB, GE, IE	, IT, LU,	MC, NL,
		ΞT	, SE						
	71	9921650		A1	1 -930809		AU 1999-21650	19990113	
	EF	1049723		Al	20001108		EP 1999-901896	13990113	
		F: ES	, FE.,	GB, GI	E, IT, PT				
	$\Box A$	9901326		А	19930719		ZA 1999-526	19990118	
	BE.	9902934		A	2.010306		BR 1999-2934	19990719	
PFAI	EP	1998-87	0012	A	19980121				
	W()	1999-EP	155	W	19990113				

F.E.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=: `. •

---Lagaing of: of STN---

Executing the logoff script...

=: LOG Y

COST EN U.S. DOLLARS	SINCE FILE	TOTAL SESSION
FULL ESTIMATED COST	128.91	133.07
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-3.26	-3.26

STN INTERNATIONAL LOGOFF AT 16:37:16 ON 09 JAN 2003